Yellowstone National Park

Humidity

The relative humidity typically ranges from 26% (dry) to 93% (very humid) over the course of the year, rarely dropping below 14% (very dry) and reaching as high as 100% (very humid).


The air is *driest* around July 11, at which time the relative humidity drops below 30% (comfortable) three days out of four; it is *most humid* around May 31, exceeding 91% (very humid) three days out of four.

Temperature

Over the course of a year, the temperature typically varies from -0°F to 73°F and is rarely below -16°F or above 79°F.

Relative Humidity

May 31 87% 80% Jul 11 70% Dec 31 70% 60% 50% 40% 30% 26% 20% Jul 11 Feb Jul Sep Oct Jan Mar Apr May Jun Aug Nov Dec



Riverton


Humidity


The relative humidity typically ranges from 19% (dry) to 85% (very humid) over the course of the year, rarely dropping below 10% (very dry) and reaching as high as 99% (very humid).

The air is *driest* around July 9, at which time the relative humidity drops below 23% (dry) three days out of four; it is *most humid* around December 25, exceeding 80% (humid) three days out of four.

Temperature

Over the course of a year, the temperature typically varies from 9°F to 87°F and is rarely below -4°F or above 95°F.





Rock Springs


Humidity


The relative humidity typically ranges from 16% (dry) to 87% (very humid) over the course of the year, rarely dropping below 10% (very dry) and reaching as high as 100% (very humid).

The air is *driest* around July 7, at which time the relative humidity drops below 19% (dry) three days out of four; it is *most humid* around December 16, exceeding 80% (humid) three days out of four.

Temperature

Over the course of a year, the temperature typically varies from 12°F to 83°F and is rarely below -2°F or above 90°F.





Rawlins

Humidity

The relative humidity typically ranges from 18% (dry) to 88% (very humid) over the course of the year, rarely dropping below 10% (very dry) and reaching as high as 100% (very humid).

The air is *driest* around July 7, at which time the relative humidity drops below 22% (dry) three days out of four; it is *most humid* around January 25, exceeding 82% (humid) three days out of four.

Temperature

10%


Jan Feb

Mar

Apr

May

Over the course of a year, the temperature typically varies from 13°F to 84°F and is rarely below -4°F or above 91°F.



Jun


Jul

Sep

Aug

Oct

Nov Dec



Laramie


Humidity


The relative humidity typically ranges from 23% (dry) to 88% (very humid) over the course of the year, rarely dropping below 12% (very dry) and reaching as high as 100% (very humid).

The air is *driest* around July 8, at which time the relative humidity drops below 27% (dry) three days out of four; it is *most humid* around April 26, exceeding 82% (humid) three days out of four.

Temperature

Over the course of a year, the temperature typically varies from 10°F to 79°F and is rarely below -7°F or above 87°F.





Cheyenne

Humidity


The relative humidity typically ranges from 26% (dry) to 84% (humid) over the course of the year, rarely dropping below 12% (very dry) and reaching as high as 100% (very humid).


The air is *driest* around July 7, at which time the relative humidity drops below 32% (comfortable) three days out of four; it is *most humid* around May 26, exceeding 76% (humid) three days out of four.

Temperature

Over the course of a year, the temperature typically varies from 17°F to 83°F and is rarely below 1°F or above 91°F.

Relative Humidity





Casper

Humidity


The relative humidity typically ranges from 19% (dry) to 87% (very humid) over the course of the year, rarely dropping below 9% (very dry) and reaching as high as 99% (very humid).


The air is *driest* around July 8, at which time the relative humidity drops below 23% (dry) three days out of four; it is *most humid* around May 26, exceeding 81% (humid) three days out of four.

Temperature

Over the course of a year, the temperature typically varies from 14°F to 88°F and is rarely below -5°F or above 96°F.

Relative Humidity





Gillette

Humidity


The relative humidity typically ranges from 23% (dry) to 90% (very humid) over the course of the year, rarely dropping below 12% (very dry) and reaching as high as 100% (very humid).


The air is *driest* around August 16, at which time the relative humidity drops below 27% (dry) three days out of four; it is *most humid* around June 3, exceeding 87% (very humid) three days out of four.

Temperature

Over the course of a year, the temperature typically varies from 15°F to 89°F and is rarely below -2°F or above 97°F.

Relative Humidity





Sheridan


Humidity


The relative humidity typically ranges from 25% (dry) to 91% (very humid) over the course of the year, rarely dropping below 13% (very dry) and reaching as high as 100% (very humid).

The air is *driest* around August 26, at which time the relative humidity drops below 30% (dry) three days out of four; it is *most humid* around June 8, exceeding 86% (very humid) three days out of four.

Temperature

Over the course of a year, the temperature typically varies from 11°F to 87°F and is rarely below -9°F or above 97°F.





Cody

Humidity

The relative humidity typically ranges from 23% (dry) to 78% (humid) over the course of the year, rarely dropping below 13% (very dry) and reaching as high as 98% (very humid).

The air is *driest* around August 17, at which time the relative humidity drops below 28% (dry) three days out of four; it is *most humid* around January 18, exceeding 67% (mildly humid) three days out of four.

Temperature

Over the course of a year, the temperature typically varies from 16°F to 83°F and is rarely below -3°F or above 92°F.

